

# **NAPIS State Reporting Tool (SRT)**

## XML Schema Specification for Import



Last updated October 13, 2004 10:15:27 AM

Synergy Software Technologies Inc.  
66 Pearl Street  
Essex Junction, Vermont 05452  
(802) 878-8514  
[www.synergysw.com](http://www.synergysw.com)

```
<xsd:schema targetNamespace="http://www.synergysw.com/NAPISSRT/XMLSchema"
  xmlns="http://www.synergysw.com/NAPISSRT/XMLSchema"
  xmlns:srt="http://www.synergysw.com/NAPISSRT/XMLSchema" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  elementFormDefault="qualified" attributeFormDefault="unqualified" version="1.0">
  <xsd:simpleType name="T_AAA_COUNT">
    <xsd:restriction base="xsd:long"/>
  </xsd:simpleType>
  <xsd:simpleType name="T_ACCOMPLISHMENT_NUMBER">
    <xsd:restriction base="xsd:short">
      <xsd:enumeration value="1"/>
      <xsd:enumeration value="2"/>
      <xsd:enumeration value="3"/>
    </xsd:restriction>
  </xsd:simpleType>
  <xsd:simpleType name="T_BOOLEAN">
    <xsd:restriction base="xsd:boolean"/>
  </xsd:simpleType>
  <xsd:simpleType name="T_COMMENTS">
    <xsd:restriction base="xsd:string">
      <xsd:maxLength value="255"/>
    </xsd:restriction>
  </xsd:simpleType>
  <xsd:simpleType name="T_CLUSTER_1_REPORT_PAGE">
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="Total Cluster 1 Clients"/>
      <xsd:enumeration value="Chore"/>
      <xsd:enumeration value="Case Management"/>
      <xsd:enumeration value="Personal Care"/>
      <xsd:enumeration value="Home Delivered Meals"/>
      <xsd:enumeration value="Homemaker"/>
      <xsd:enumeration value="Adult Day Care/Health"/>
    </xsd:restriction>
  </xsd:simpleType>
  <xsd:simpleType name="T_CLUSTER_2_REPORT_PAGE">
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="Total Registered Clients (Cluster 1 and 2)"/>
      <xsd:enumeration value="Congregate Meals"/>
      <xsd:enumeration value="Nutrition Counseling"/>
      <xsd:enumeration value="Assisted Transportation"/>
    </xsd:restriction>
  </xsd:simpleType>
  <xsd:simpleType name="T_CURRENCY">
    <xsd:restriction base="xsd:decimal">
      <xsd:fractionDigits value="2"/>
    </xsd:restriction>
  </xsd:simpleType>
  <xsd:simpleType name="T_DATE">
    <xsd:restriction base="xsd:date"/>
  </xsd:simpleType>
  <xsd:simpleType name="T_DATETIME">
    <xsd:restriction base="xsd:dateTime"/>
  </xsd:simpleType>
  <xsd:simpleType name="T_DEVELOPMENT_TYPE_CODE">
    <xsd:restriction base="xsd:string">
      <xsd:enumeration value="1. Public education/awareness"/>
      <xsd:enumeration value="2. Resource development"/>
      <xsd:enumeration value="3. Training/education"/>
      <xsd:enumeration value="4. Research and development"/>
      <xsd:enumeration value="5. Policy development"/>
      <xsd:enumeration value="6. Legislative development"/>
      <xsd:enumeration value="7. Other"/>
    </xsd:restriction>
  </xsd:simpleType>
  <xsd:simpleType name="T_LONG">
    <xsd:restriction base="xsd:long"/>
  </xsd:simpleType>
```

```
<xsd:simpleType name="T_MEMO">
  <xsd:restriction base="xsd:string"/>
</xsd:simpleType>
<xsd:simpleType name="T_MISSION_PURPOSE_CATEGORY">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="A. Services which address functional limitations"/>
    <xsd:enumeration value="B. Services which maintain health"/>
    <xsd:enumeration value="C. Services which protect elder rights"/>
    <xsd:enumeration value="D. Services which promote socialization/participation"/>
    <xsd:enumeration value="E. Services which assure access and coordination"/>
    <xsd:enumeration value="F. Services which support other goals/outcomes"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="T_ORGANIZATION_DESC">
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="80"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="T_PERSON_COUNT">
  <xsd:restriction base="xsd:long"/>
</xsd:simpleType>
<xsd:simpleType name="T_PROVIDER_COUNT">
  <xsd:restriction base="xsd:long"/>
</xsd:simpleType>
<xsd:simpleType name="T_PSA_ID">
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="6"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="T_SERVICE_NAME">
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="30"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="T_SERVICE_UNIT_NAME">
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="15"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="T_SERVICE_UNITS">
  <xsd:restriction base="xsd:decimal">
    <xsd:totalDigits value="8"/>
    <xsd:fractionDigits value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="T_SIGNATURE">
  <xsd:restriction base="xsd:string"/>
</xsd:simpleType>
<xsd:simpleType name="T_SINGLE">
  <xsd:restriction base="xsd:decimal">
    <xsd:fractionDigits value="2"/>
    <xsd:totalDigits value="8"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="T_STATE_ID">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="AK"/>
    <xsd:enumeration value="AL"/>
    <xsd:enumeration value="AR"/>
    <xsd:enumeration value="AZ"/>
    <xsd:enumeration value="CA"/>
    <xsd:enumeration value="CO"/>
    <xsd:enumeration value="CT"/>
    <xsd:enumeration value="DC"/>
    <xsd:enumeration value="DE"/>
  </xsd:restriction>
</xsd:simpleType>
```

```
<xsd:enumeration value="FL"/>
<xsd:enumeration value="GA"/>
<xsd:enumeration value="HI"/>
<xsd:enumeration value="IA"/>
<xsd:enumeration value="ID"/>
<xsd:enumeration value="IL"/>
<xsd:enumeration value="IN"/>
<xsd:enumeration value="KS"/>
<xsd:enumeration value="KY"/>
<xsd:enumeration value="LA"/>
<xsd:enumeration value="MA"/>
<xsd:enumeration value="MD"/>
<xsd:enumeration value="ME"/>
<xsd:enumeration value="MI"/>
<xsd:enumeration value="MN"/>
<xsd:enumeration value="MO"/>
<xsd:enumeration value="MS"/>
<xsd:enumeration value="MT"/>
<xsd:enumeration value="NC"/>
<xsd:enumeration value="ND"/>
<xsd:enumeration value="NE"/>
<xsd:enumeration value="NH"/>
<xsd:enumeration value="NJ"/>
<xsd:enumeration value="NM"/>
<xsd:enumeration value="NV"/>
<xsd:enumeration value="NY"/>
<xsd:enumeration value="OH"/>
<xsd:enumeration value="OK"/>
<xsd:enumeration value="OR"/>
<xsd:enumeration value="PA"/>
<xsd:enumeration value="RI"/>
<xsd:enumeration value="SC"/>
<xsd:enumeration value="SD"/>
<xsd:enumeration value="TN"/>
<xsd:enumeration value="TX"/>
<xsd:enumeration value="UT"/>
<xsd:enumeration value="VA"/>
<xsd:enumeration value="VT"/>
<xsd:enumeration value="WA"/>
<xsd:enumeration value="WI"/>
<xsd:enumeration value="WV"/>
<xsd:enumeration value="WY"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="T_YEAR">
<xsd:restriction base="xsd:long">
<xsd:minInclusive value="1850"/>
<xsd:maxInclusive value="2200"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:element name="Reports">
<xsd:complexType>
<xsd:sequence maxOccurs="unbounded">
<xsd:element name="Report">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Header">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="StateID" type="srt:T_STATE_ID"/>
<xsd:element name="FiscalYear" type="srt:T_YEAR" minOccurs="0"/>
<xsd:element name="PSAID" type="srt:T_PSA_ID"/>
<xsd:element name="CreateDatetime" type="srt:T_DATETIME"/>
<xsd:element name="UpdateDatetime" type="srt:T_DATETIME"/>
<xsd:element name="OrganizationDesc" type="srt:T_ORGANIZATION_DESC"/>
<xsd:element name="FromDate" type="srt:T_DATE"/>
```

```
<xsd:element name="ToDate" type="srt:T_DATE"/>
<xsd:element name="Comments" type="srt:T_COMMENTS" minOccurs="0"/>
<xsd:element name="Signature" type="srt:T_SIGNATURE" minOccurs="0"/>
<xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"
minOccurs="0"/>
<xsd:element name="IsAgencyReport" type="srt:T_BOOLEAN" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="SectionI" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="SectionIA" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="PersonsServedRegistered"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="PersonsServedUnregistered"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="TotalPersonsServed"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"
minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="SectionIB" minOccurs="0" maxOccurs="4">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Cluster2Page"
type="srt:T_CLUSTER_2_REPORT_PAGE"/>
<xsd:element name="TotalClients" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total" type="srt:T_PERSON_COUNT"
default="0" minOccurs="0"/>
<xsd:element name="IncomeBelowPoverty"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="TotalAgeReported" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total" type="srt:T_PERSON_COUNT"
default="0" minOccurs="0"/>
<xsd:element name="IncomeBelowPoverty"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="AgeMissing" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
```

```
    <xsd:element name="Total" type="srt:T_PERSON_COUNT"  
default="0" minOccurs="0"/>  
    <xsd:element name="IncomeBelowPoverty"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
        </xsd:sequence>  
    </xsd:complexType>  
    </xsd:element>  
    <xsd:element name="Female" minOccurs="0">  
        <xsd:complexType>  
            <xsd:sequence>  
                <xsd:element name="Total" type="srt:T_PERSON_COUNT"  
default="0" minOccurs="0"/>  
                <xsd:element name="IncomeBelowPoverty"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                <xsd:element name="Age60-74"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                <xsd:element name="Age75-84"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                <xsd:element name="Age85Plus"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                    </xsd:sequence>  
                </xsd:complexType>  
            </xsd:element>  
            <xsd:element name="Male" minOccurs="0">  
                <xsd:complexType>  
                    <xsd:sequence>  
                        <xsd:element name="Total" type="srt:T_PERSON_COUNT"  
default="0" minOccurs="0"/>  
                        <xsd:element name="IncomeBelowPoverty"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                        <xsd:element name="Age60-74"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                        <xsd:element name="Age75-84"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                        <xsd:element name="Age85Plus"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                            </xsd:sequence>  
                        </xsd:complexType>  
                    </xsd:element>  
                    <xsd:element name="GenderMissing" minOccurs="0">  
                        <xsd:complexType>  
                            <xsd:sequence>  
                                <xsd:element name="Total" type="srt:T_PERSON_COUNT"  
default="0" minOccurs="0"/>  
                                <xsd:element name="IncomeBelowPoverty"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                                <xsd:element name="Age60-74"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                                <xsd:element name="Age75-84"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                                <xsd:element name="Age85Plus"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                            </xsd:sequence>  
                        </xsd:complexType>  
                    </xsd:element>  
                    <xsd:element name="RuralClients" minOccurs="0">  
                        <xsd:complexType>  
                            <xsd:sequence>  
                                <xsd:element name="Total" type="srt:T_PERSON_COUNT"  
default="0" minOccurs="0"/>  
                                <xsd:element name="IncomeBelowPoverty"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                                <xsd:element name="Age60-74"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                                <xsd:element name="Age75-84"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

```
        <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="RuralMissing" minOccurs="0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="Total" type="srt:T_PERSON_COUNT" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="IncomeBelowPoverty" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                </xsd:sequence>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="PovertyMissing" minOccurs="0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="Total" type="srt:T_PERSON_COUNT" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                </xsd:sequence>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="LivesAlone" minOccurs="0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="Total" type="srt:T_PERSON_COUNT" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="IncomeBelowPoverty" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                </xsd:sequence>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="LivesAloneMissing" minOccurs="0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="Total" type="srt:T_PERSON_COUNT" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="IncomeBelowPoverty" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                </xsd:sequence>
            </xsd:complexType>
        </xsd:element>
```

```

</xsd:element>
<xsd:element name="Hispanic" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total" type="srt:T_PERSON_COUNT">
        default="0" minOccurs="0"/>
      <xsd:element name="IncomeBelowPoverty" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="NotHispanic" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IncomeBelowPoverty" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="EthnicityMissing" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IncomeBelowPoverty" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="WhiteAloneNonHispanic" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IncomeBelowPoverty" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="WhiteAloneHispanic" minOccurs="0">

```

```
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total" type="srt:T_PERSON_COUNT"
default="0" minOccurs="0"/>
            <xsd:element name="IncomeBelowPoverty"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="IndianAlone" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total" type="srt:T_PERSON_COUNT"
default="0" minOccurs="0"/>
            <xsd:element name="IncomeBelowPoverty"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="AsianAlone" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total" type="srt:T_PERSON_COUNT"
default="0" minOccurs="0"/>
            <xsd:element name="IncomeBelowPoverty"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="BlackAlone" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total" type="srt:T_PERSON_COUNT"
default="0" minOccurs="0"/>
            <xsd:element name="IncomeBelowPoverty"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="HawaiianAlone" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
```

```
default="0" minOccurs="0"/>  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
  
  
  
default="0" minOccurs="0"/>  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
  
  
  
default="0" minOccurs="0"/>  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
  
  
  
default="0" minOccurs="0"/>  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
  
  
  
default="0" minOccurs="0"/>  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
  
  
  
minOccurs="0"/>
```

```
<xsd:element name="SectionIC" minOccurs="0" maxOccurs="7">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Cluster1Page"
type="srt:T_CLUSTER_1_REPORT_PAGE"/>
      <xsd:element name="TotalClients" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="AllAges" minOccurs="0">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="Total" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                  <xsd:element name="ADL0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                  <xsd:element name="ADL1" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                  <xsd:element name="ADL2" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                  <xsd:element name="ADL3Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                </xsd:sequence>
              </xsd:complexType>
            </xsd:element>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="Age60-74" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Total" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL1" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL2" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL3Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="Age75-84" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Total" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL1" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL2" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL3Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="Age85Plus" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Total" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL1" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

```
    <xsd:element name="ADL2">
    <xsd:element name="ADL3Plus">
    </xsd:sequence>
    </xsd:complexType>
    </xsd:element>
    </xsd:sequence>
    </xsd:complexType>
    </xsd:element>
    <xsd:element name="AgeDataClients" minOccurs="0">
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllAges" minOccurs="0">
                <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="Total">
                    <xsd:element name="ADL0">
                    <xsd:element name="ADL1">
                    <xsd:element name="ADL2">
                    <xsd:element name="ADL3Plus">
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="Age60-74" minOccurs="0">
                <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="Total">
                    <xsd:element name="ADL0">
                    <xsd:element name="ADL1">
                    <xsd:element name="ADL2">
                    <xsd:element name="ADL3Plus">
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="Age75-84" minOccurs="0">
                <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="Total">
                    <xsd:element name="ADL0">
                    <xsd:element name="ADL1">
                    <xsd:element name="ADL2">
                    <xsd:element name="ADL3Plus">
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="Age85Plus" minOccurs="0">
                <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="Total">
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="AgeMissing" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:complexType>
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="ADLsMissing" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
```

```
        <xsd:element name="Total">
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Female" minOccurs="0">
  <xsd:complexType>
  <xsd:sequence>
    <xsd:element name="AllAges" minOccurs="0">
      <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="Total">
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
  <xsd:complexType>
  <xsd:sequence>
    <xsd:element name="Total">
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
  <xsd:complexType>
  <xsd:sequence>
    <xsd:element name="Total">
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
  <xsd:complexType>
  <xsd:sequence>
    <xsd:element name="Total">
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="ADL0">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Total">
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="ADL0">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
```

```

type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    <xsd:element name="ADL1">
    <xsd:element name="ADL2">
    <xsd:element name="ADL3Plus">
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Male" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllAges" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Total">
                            <xsd:complexType>
                                <xsd:element name="ADL0">
                                <xsd:element name="ADL1">
                                <xsd:element name="ADL2">
                                <xsd:element name="ADL3Plus">
                                    </xsd:sequence>
                                </xsd:complexType>
                            </xsd:element>
                            <xsd:element name="Age60-74" minOccurs="0">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="Total">
                                            <xsd:complexType>
                                                <xsd:element name="ADL0">
                                                <xsd:element name="ADL1">
                                                <xsd:element name="ADL2">
                                                <xsd:element name="ADL3Plus">
                                                    </xsd:sequence>
                                                </xsd:complexType>
                                            </xsd:element>
                                            <xsd:element name="Age75-84" minOccurs="0">
                                                <xsd:complexType>
                                                    <xsd:sequence>
                                                        <xsd:element name="Total">
                                                            <xsd:complexType>
                                                                <xsd:element name="ADL0">
                                                                <xsd:element name="ADL1">
                                                                <xsd:element name="ADL2">
                                                                <xsd:element name="ADL3Plus">
                                                    </xsd:sequence>
                                                </xsd:complexType>
                                            </xsd:element>
                                            <xsd:element name="Age85Plus" minOccurs="0">
                                                <xsd:complexType>
                                                    <xsd:sequence>

```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="GenderMissing" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85+" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
```

```
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="ADL0">
            <xsd:element name="ADL1">
            <xsd:element name="ADL2">
            <xsd:element name="ADL3Plus">
              </xsd:sequence>
            </xsd:complexType>
          </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
  </xsd:sequence>
<xsd:element name="Rural" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="AllAges" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Total">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="ADL0">
                  <xsd:element name="ADL1">
                  <xsd:element name="ADL2">
                  <xsd:element name="ADL3Plus">
                    </xsd:sequence>
                  </xsd:complexType>
                </xsd:element>
              </xsd:sequence>
            </xsd:complexType>
          </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
  </xsd:sequence>
<xsd:element name="Age60-74" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="ADL0">
            <xsd:element name="ADL1">
            <xsd:element name="ADL2">
            <xsd:element name="ADL3Plus">
              </xsd:sequence>
            </xsd:complexType>
          </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
  </xsd:sequence>
<xsd:element name="Age75-84" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="ADL0">
            <xsd:element name="ADL1">
            <xsd:element name="ADL2">
              </xsd:sequence>
            </xsd:complexType>
          </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                         <xsd:element name="ADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="Age85Plus" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="ADL0"
                                         <xsd:element name="ADL1"
                                         <xsd:element name="ADL2"
                                         <xsd:element name="ADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="RuralMissing" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="AllAges" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="ADL0"
                                         <xsd:element name="ADL1"
                                         <xsd:element name="ADL2"
                                         <xsd:element name="ADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="Age60-74" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="ADL0"
                                         <xsd:element name="ADL1"
                                         <xsd:element name="ADL2"
                                         <xsd:element name="ADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="Age75-84" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="ADL0"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="BelowPoverty" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>

<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="PovertyMissing" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
```



```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                         <xsd:element name="ADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="Age75-84" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="ADL0"
                                         <xsd:element name="ADL1"
                                         <xsd:element name="ADL2"
                                         <xsd:element name="ADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="Age85Plus" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="ADL0"
                                         <xsd:element name="ADL1"
                                         <xsd:element name="ADL2"
                                         <xsd:element name="ADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="LivesAloneMissing" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="AllAges" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="ADL0"
                                         <xsd:element name="ADL1"
                                         <xsd:element name="ADL2"
                                         <xsd:element name="ADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="Age60-74" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="ADL0"
```



```
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="Total" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL0" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL1" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL2" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL3Plus" />  
      </xsd:sequence>  
    </xsd:complexType>  
  </xsd:element>  
  <xsd:element name="Age75-84" minOccurs="0">  
    <xsd:complexType>  
      <xsd:sequence>  
        <xsd:element name="Total" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL0" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL1" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL2" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL3Plus" />  
      </xsd:sequence>  
    </xsd:complexType>  
  </xsd:element>  
  <xsd:element name="Age85Plus" minOccurs="0">  
    <xsd:complexType>  
      <xsd:sequence>  
        <xsd:element name="Total" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL0" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL1" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL2" />  
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL3Plus" />  
      </xsd:sequence>  
    </xsd:complexType>  
  </xsd:element>  
  <xsd:element name="NotHispanic" minOccurs="0">  
    <xsd:complexType>  
      <xsd:sequence>  
        <xsd:element name="AllAges" minOccurs="0">  
          <xsd:complexType>  
            <xsd:sequence>  
              <xsd:element name="Total" />  
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL0" />  
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL1" />  
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL2" />  
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>      <xsd:element name="ADL3Plus" />  
            </xsd:sequence>  
          </xsd:complexType>  
        </xsd:element>  
      </xsd:sequence>  
    </xsd:complexType>  
  </xsd:element>
```



```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="ADL3Plus">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="Age60-74" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="ADL0">
                                                               <xsd:element name="ADL1">
                                                               <xsd:element name="ADL2">
                                                               <xsd:element name="ADL3Plus">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="Age75-84" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="ADL0">
                                                               <xsd:element name="ADL1">
                                                               <xsd:element name="ADL2">
                                                               <xsd:element name="ADL3Plus">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="Age85Plus" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="ADL0">
                                                               <xsd:element name="ADL1">
                                                               <xsd:element name="ADL2">
                                                               <xsd:element name="ADL3Plus">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="WhiteAloneNonHispanic" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="AllAges" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="ADL0">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="AllAges" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="ADL0">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
```

```

type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="ADL0"
<xsd:element name="ADL1"
<xsd:element name="ADL2"
<xsd:element name="ADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="WhiteAloneHispanic" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>

```



```
<xsd:sequence>
  <xsd:element name="AllAges" minOccurs="0">
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="Total">
          <xsd:complexType>
            <xsd:sequence>
              <xsd:element name="ADL0">
                <xsd:complexType>
                  <xsd:sequence>
                    <xsd:element name="ADL1">
                      <xsd:complexType>
                        <xsd:sequence>
                          <xsd:element name="ADL2">
                            <xsd:complexType>
                              <xsd:sequence>
                                <xsd:element name="ADL3Plus">
                                  <xsd:complexType>
                                    <xsd:sequence>
                                      <xsd:element name="Age60-74" minOccurs="0">
                                        <xsd:complexType>
                                          <xsd:sequence>
                                            <xsd:element name="Total">
                                              <xsd:complexType>
                                                <xsd:sequence>
                                                  <xsd:element name="ADL0">
                                                    <xsd:complexType>
                                                      <xsd:sequence>
                                                        <xsd:element name="ADL1">
                                                          <xsd:complexType>
                                                            <xsd:sequence>
                                                              <xsd:element name="ADL2">
                                                                <xsd:complexType>
                                                                  <xsd:sequence>
                                                                    <xsd:element name="ADL3Plus">
                                                                      <xsd:complexType>
                                                                        <xsd:sequence>
              </xsd:element>
            </xsd:sequence>
          </xsd:complexType>
        </xsd:element>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="ADL0">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="ADL1">
                    <xsd:complexType>
                      <xsd:sequence>
                        <xsd:element name="ADL2">
                          <xsd:complexType>
                            <xsd:sequence>
                              <xsd:element name="ADL3Plus">
                                <xsd:complexType>
                                  <xsd:sequence>
                                    <xsd:element name="Age85Plus" minOccurs="0">
                                      <xsd:complexType>
                                        <xsd:sequence>
                                          <xsd:element name="Total">
                                            <xsd:complexType>
                                              <xsd:sequence>
                                                <xsd:element name="ADL0">
                                                  <xsd:complexType>
                                                    <xsd:sequence>
                                                      <xsd:element name="ADL1">
                                                        <xsd:complexType>
                                                          <xsd:sequence>
                </xsd:element>
              </xsd:sequence>
            </xsd:complexType>
          </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="ADL0">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="ADL1">
                    <xsd:complexType>
                      <xsd:sequence>
                        <xsd:element name="ADL2">
                          <xsd:complexType>
                            <xsd:sequence>
                              <xsd:element name="ADL3Plus">
                                <xsd:complexType>
                                  <xsd:sequence>
                                    <xsd:element name="AllAges" minOccurs="0">
          </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
```

```
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="AsianAlone" minOccurs="0">
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="AllAges" minOccurs="0">
                    <xsd:complexType>
                        <xsd:sequence>
                            <xsd:element name="Total">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="ADL0">
                                            <xsd:complexType>
                                                <xsd:sequence>
                                                    <xsd:element name="ADL1">
                                                        <xsd:complexType>
                                                            <xsd:sequence>
                                                                <xsd:element name="ADL2">
                                                                    <xsd:complexType>
                                                                        <xsd:sequence>
                                                                            <xsd:element name="ADL3Plus">

```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

```
                </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="BlackAlone" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllAges" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Total"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL0"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL1"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL2"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL3Plus"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="Age60-74" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Total"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL0"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL1"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL2"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL3Plus"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="Age75-84" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Total"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL0"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL1"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL2"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL3Plus"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="Age85Plus" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Total"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL0"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ADL1"
                            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="HawaiianAlone" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="OtherRace" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="ADL0">
<xsd:element name="ADL1">
<xsd:element name="ADL2">
<xsd:element name="ADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:complexType>
  <xsd:sequence>
    <xsd:element name="Total">
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="ADL0" />
          <xsd:element name="ADL1" />
          <xsd:element name="ADL2" />
          <xsd:element name="ADL3Plus" />
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:complexType>
</xsd:element>
<xsd:element name="TwoPlusRaces" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="AllAges" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Total" />
            <xsd:element name="ADL0" />
            <xsd:element name="ADL1" />
            <xsd:element name="ADL2" />
            <xsd:element name="ADL3Plus" />
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total" />
      <xsd:element name="ADL0" />
      <xsd:element name="ADL1" />
      <xsd:element name="ADL2" />
      <xsd:element name="ADL3Plus" />
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total" />
      <xsd:element name="ADL0" />
      <xsd:element name="ADL1" />
      <xsd:element name="ADL2" />
      <xsd:element name="ADL3Plus" />
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

```
        </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="Age85Plus" minOccurs="0">
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="Total">
                    <xsd:complexType>
                        <xsd:sequence>
                            <xsd:element name="ADL0">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="ADL1">
                                            <xsd:complexType>
                                                <xsd:sequence>
                                                    <xsd:element name="ADL2">
                                                        <xsd:complexType>
                                                            <xsd:sequence>
                                                                <xsd:element name="ADL3Plus">
                                                                </xsd:sequence>
                                                                </xsd:complexType>
                </xsd:element>
                </xsd:sequence>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="RaceMissing" minOccurs="0">
            <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="AllAges" minOccurs="0">
                        <xsd:complexType>
                            <xsd:sequence>
                                <xsd:element name="Total">
                                    <xsd:complexType>
                                        <xsd:sequence>
                                            <xsd:element name="ADL0">
                                                <xsd:complexType>
                                                    <xsd:sequence>
                                                        <xsd:element name="ADL1">
                                                            <xsd:complexType>
                                                                <xsd:sequence>
                                                                    <xsd:element name="ADL2">
                                                                        <xsd:complexType>
                                                                            <xsd:sequence>
                                                                                <xsd:element name="ADL3Plus">
                                                                                </xsd:sequence>
                                                                                </xsd:complexType>
                </xsd:element>
                </xsd:sequence>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="Age60-74" minOccurs="0">
            <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="Total">
                        <xsd:complexType>
                            <xsd:sequence>
                                <xsd:element name="ADL0">
                                    <xsd:complexType>
                                        <xsd:sequence>
                                            <xsd:element name="ADL1">
                                                <xsd:complexType>
                                                    <xsd:sequence>
                                                        <xsd:element name="ADL2">
                                                            <xsd:complexType>
                                                                <xsd:sequence>
                                                                    <xsd:element name="ADL3Plus">
                                                                    </xsd:sequence>
                                                                    </xsd:complexType>
                </xsd:element>
                </xsd:sequence>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="Age75-84" minOccurs="0">
            <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="Total">
                        <xsd:complexType>
                            <xsd:sequence>
                                <xsd:element name="ADL0">
                                    <xsd:complexType>
                                        <xsd:sequence>
                                            <xsd:element name="ADL1">

```

```
        <xsd:element name="ADL2">
        <xsd:element name="ADL3Plus">
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL1" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL2" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ADL3Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="SectionIC_UniqueCluster1Page">
    <xsd:unique name="SectionIC_UniqueCluster1Page">
        <xsd:selector xpath="/" type="srt:T_CLUSTER_1_REPORT_PAGE"/>
        <xsd:field xpath="Cluster1Page"/>
    </xsd:unique>
</xsd:element>
<xsd:element name="SectionID" minOccurs="0" maxOccurs="7">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Cluster1Page" type="srt:T_CLUSTER_1_REPORT_PAGE"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="TotalClients" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllAges" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Total" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="IADL0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="IADL1" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="IADL2" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="IADL3Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="IADL0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
```



```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="Total">
<xsd:element name="IADL0">
<xsd:element name="IADL1">
<xsd:element name="IADL2">
<xsd:element name="IADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="IADL0">
<xsd:element name="IADL1">
<xsd:element name="IADL2">
<xsd:element name="IADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="IADL0">
<xsd:element name="IADL1">
<xsd:element name="IADL2">
<xsd:element name="IADL3Plus">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="AgeMissing" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total">
<xsd:element name="IADL0">
<xsd:element name="IADL1">
<xsd:element name="IADL2">
<xsd:element name="IADL3Plus">
</xsd:sequence>
</xsd:complexType>
```

```
        </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="IADLsMissing" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllAges" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Total">
                            </xsd:element>
                        </xsd:sequence>
                    </xsd:complexType>
                </xsd:element>
                <xsd:element name="Age60-74" minOccurs="0">
                    <xsd:complexType>
                        <xsd:sequence>
                            <xsd:element name="Total">
                                </xsd:element>
                            </xsd:sequence>
                        </xsd:complexType>
                    </xsd:element>
                    <xsd:element name="Age75-84" minOccurs="0">
                        <xsd:complexType>
                            <xsd:sequence>
                                <xsd:element name="Total">
                                    </xsd:element>
                                </xsd:sequence>
                            </xsd:complexType>
                        </xsd:element>
                        <xsd:element name="Age85Plus" minOccurs="0">
                            <xsd:complexType>
                                <xsd:sequence>
                                    <xsd:element name="Total">
                                        </xsd:element>
                                    </xsd:sequence>
                                </xsd:complexType>
                            </xsd:element>
                            <xsd:element name="Female" minOccurs="0">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="AllAges" minOccurs="0">
                                            <xsd:complexType>
                                                <xsd:sequence>
                                                    <xsd:element name="Total">
                                                        </xsd:element>
                                                    </xsd:sequence>
                                                </xsd:complexType>
                                            </xsd:element>
                                            <xsd:element name="IADL0">
                                                </xsd:element>
                                            <xsd:element name="IADL1">
                                                </xsd:element>
                                            <xsd:element name="IADL2">
                                                </xsd:element>
                                            <xsd:element name="IADL3Plus">
                                                </xsd:element>
                                            </xsd:sequence>
                                        </xsd:complexType>
                                    </xsd:sequence>
                                </xsd:element>
                                <xsd:element name="Age60-74" minOccurs="0">
                                    <xsd:complexType>
                                        <xsd:sequence>
                                            <xsd:element name="Total">
                                                </xsd:element>
                                            </xsd:sequence>
                                        </xsd:complexType>
                                    </xsd:element>
                                </xsd:sequence>
                            </xsd:complexType>
                        </xsd:element>
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
```





```
        </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="Age60-74" minOccurs="0">
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="Total">
                    <xsd:element name="IADL0">
                    <xsd:element name="IADL1">
                    <xsd:element name="IADL2">
                    <xsd:element name="IADL3Plus">
                </xsd:sequence>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="Age75-84" minOccurs="0">
            <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="Total">
                        <xsd:element name="IADL0">
                        <xsd:element name="IADL1">
                        <xsd:element name="IADL2">
                        <xsd:element name="IADL3Plus">
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="Age85Plus" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Total">
                            <xsd:element name="IADL0">
                            <xsd:element name="IADL1">
                            <xsd:element name="IADL2">
                            <xsd:element name="IADL3Plus">
                        </xsd:sequence>
                    </xsd:complexType>
                </xsd:element>
                <xsd:element name="Rural" minOccurs="0">
                    <xsd:complexType>
                        <xsd:sequence>
                            <xsd:element name="AllAges" minOccurs="0">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="Total">
                                            <xsd:element name="IADL0">
                                            <xsd:element name="IADL1">

```





```
<xsd:complexType>
  <xsd:sequence>
    <xsd:element name="Total"
      type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    <xsd:element name="IADL0"
      type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    <xsd:element name="IADL1"
      type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    <xsd:element name="IADL2"
      type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    <xsd:element name="IADL3Plus"
      type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL0"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL1"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL2"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL3Plus"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL0"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL1"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL2"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL3Plus"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL0"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL1"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL2"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="IADL3Plus"
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
```

```
<xsd:element name="PovertyMissing" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="AllAges" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Total"
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="IADL0"
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="IADL1"
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="IADL2"
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="IADL3Plus"
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
    <xsd:element name="Age60-74" minOccurs="0">
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="Total"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL0"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL1"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL2"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL3Plus"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
    <xsd:element name="Age75-84" minOccurs="0">
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="Total"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL0"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL1"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL2"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL3Plus"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
    <xsd:element name="Age85Plus" minOccurs="0">
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="Total"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL0"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL1"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL2"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="IADL3Plus"
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>

```

```
        </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="LivesAlone" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllAges" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Total" type="xsd:int" />
                        <xsd:element name="IADL0" type="xsd:int" />
                        <xsd:element name="IADL1" type="xsd:int" />
                        <xsd:element name="IADL2" type="xsd:int" />
                        <xsd:element name="IADL3Plus" type="xsd:int" />
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total" type="xsd:int" />
            <xsd:element name="IADL0" type="xsd:int" />
            <xsd:element name="IADL1" type="xsd:int" />
            <xsd:element name="IADL2" type="xsd:int" />
            <xsd:element name="IADL3Plus" type="xsd:int" />
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total" type="xsd:int" />
            <xsd:element name="IADL0" type="xsd:int" />
            <xsd:element name="IADL1" type="xsd:int" />
            <xsd:element name="IADL2" type="xsd:int" />
            <xsd:element name="IADL3Plus" type="xsd:int" />
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total" type="xsd:int" />
            <xsd:element name="IADL0" type="xsd:int" />
            <xsd:element name="IADL1" type="xsd:int" />
            <xsd:element name="IADL2" type="xsd:int" />
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>

```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="IADL3Plus">
</xsd:sequence>                                              </xsd:complexType>
</xsd:element>                                              </xsd:sequence>
</xsd:complexType>                                            </xsd:element>
</xsd:element>                                              <xsd:element name="LivesAloneMissing" minOccurs="0">
<xsd:complexType>                                            <xsd:element name="AllAges" minOccurs="0">
<xsd:sequence>                                              <xsd:complexType>
<xsd:element name="Total">                                    <xsd:sequence>
</xsd:sequence>                                              <xsd:element name="IADL0">
</xsd:complexType>                                            <xsd:element name="IADL1">
</xsd:element>                                              <xsd:element name="IADL2">
<xsd:element name="Age60-74" minOccurs="0">                  <xsd:element name="IADL3Plus">
<xsd:complexType>                                            </xsd:sequence>
<xsd:sequence>                                              </xsd:complexType>
<xsd:element name="Total">                                    </xsd:element>
</xsd:sequence>                                              <xsd:element name="Age60-74" minOccurs="0">
</xsd:complexType>                                            <xsd:complexType>
</xsd:element>                                              <xsd:sequence>
<xsd:element name="IADL0">                                    <xsd:element name="Total">
<xsd:element name="IADL1">                                    </xsd:sequence>
<xsd:element name="IADL2">                                    </xsd:complexType>
<xsd:element name="IADL3Plus">                                </xsd:element>
</xsd:sequence>                                              <xsd:element name="Age75-84" minOccurs="0">
</xsd:complexType>                                            <xsd:complexType>
</xsd:element>                                              <xsd:sequence>
<xsd:element name="Age75-84" minOccurs="0">                  <xsd:element name="IADL0">
<xsd:complexType>                                            <xsd:element name="IADL1">
<xsd:sequence>                                              <xsd:element name="IADL2">
<xsd:element name="Total">                                    <xsd:element name="IADL3Plus">
</xsd:sequence>                                              </xsd:sequence>
</xsd:complexType>                                            </xsd:complexType>
</xsd:element>                                              </xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">                  </xsd:element>
<xsd:complexType>                                            <xsd:element name="Total">
<xsd:sequence>                                              </xsd:sequence>
<xsd:element name="IADL0">                                    </xsd:complexType>
</xsd:element>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    <xsd:element name="IADL1">
    <xsd:element name="IADL2">
    <xsd:element name="IADL3Plus">
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Hispanic" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllAges" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Total">
                            <xsd:element name="IADL0">
                            <xsd:element name="IADL1">
                            <xsd:element name="IADL2">
                            <xsd:element name="IADL3Plus">
                                </xsd:sequence>
                            </xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total">
                <xsd:element name="IADL0">
                <xsd:element name="IADL1">
                <xsd:element name="IADL2">
                <xsd:element name="IADL3Plus">
                    </xsd:sequence>
                </xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total">
                <xsd:element name="IADL0">
                <xsd:element name="IADL1">
                <xsd:element name="IADL2">
                <xsd:element name="IADL3Plus">
                    </xsd:sequence>
                </xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            </xsd:sequence>
        </xsd:complexType>
</xsd:element>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="NotHispanic" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
```

```
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="IADL0">
            <xsd:element name="IADL1">
            <xsd:element name="IADL2">
            <xsd:element name="IADL3Plus">
              </xsd:sequence>
            </xsd:complexType>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="EthnicityMissing" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="AllAges" minOccurs="0">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="Total">
                    <xsd:complexType>
                      <xsd:sequence>
                        <xsd:element name="IADL0">
                        <xsd:element name="IADL1">
                        <xsd:element name="IADL2">
                        <xsd:element name="IADL3Plus">
                          </xsd:sequence>
                        </xsd:complexType>
                      </xsd:sequence>
                    </xsd:complexType>
                  </xsd:element>
                  <xsd:element name="Age60-74" minOccurs="0">
                    <xsd:complexType>
                      <xsd:sequence>
                        <xsd:element name="Total">
                          <xsd:complexType>
                            <xsd:sequence>
                              <xsd:element name="IADL0">
                              <xsd:element name="IADL1">
                              <xsd:element name="IADL2">
                              <xsd:element name="IADL3Plus">
                                </xsd:sequence>
                              </xsd:complexType>
                            </xsd:sequence>
                          </xsd:complexType>
                        </xsd:element>
                        <xsd:element name="Age75-84" minOccurs="0">
                          <xsd:complexType>
                            <xsd:sequence>
                              <xsd:element name="Total">
                                <xsd:complexType>
                                  <xsd:sequence>
                                    <xsd:element name="IADL0">
                                    <xsd:element name="IADL1">
                                    <xsd:element name="IADL2">
                                  </xsd:sequence>
                                </xsd:complexType>
                              </xsd:sequence>
                            </xsd:complexType>
                          </xsd:element>
                        </xsd:sequence>
                      </xsd:complexType>
                    </xsd:element>
                  </xsd:sequence>
                </xsd:complexType>
              </xsd:sequence>
            </xsd:complexType>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

```

type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    <xsd:element name="IADL3Plus"
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Total"
                <xsd:element name="IADL0"
                    <xsd:complexType>
                    <xsd:element name="IADL1"
                        <xsd:complexType>
                        <xsd:element name="IADL2"
                            <xsd:complexType>
                            <xsd:element name="IADL3Plus"
                                </xsd:sequence>
                            </xsd:complexType>
                        </xsd:element>
                    </xsd:complexType>
                    <xsd:element name="WhiteAloneNonHispanic" minOccurs="0">
                        <xsd:complexType>
                            <xsd:sequence>
                                <xsd:element name="AllAges" minOccurs="0">
                                    <xsd:complexType>
                                        <xsd:sequence>
                                            <xsd:element name="Total"
                                                <xsd:element name="IADL0"
                                                    <xsd:complexType>
                                                    <xsd:element name="IADL1"
                                                        <xsd:complexType>
                                                        <xsd:element name="IADL2"
                                                            <xsd:complexType>
                                                            <xsd:element name="IADL3Plus"
                                                                </xsd:sequence>
                                                                </xsd:complexType>
                                                                </xsd:element>
                                                                <xsd:element name="Age60-74" minOccurs="0">
                                                                    <xsd:complexType>
                                                                    <xsd:sequence>
                                                                        <xsd:element name="Total"
                                                                            <xsd:element name="IADL0"
                                                                                <xsd:complexType>
                                                                                <xsd:element name="IADL1"
                                                                                    <xsd:complexType>
                                                                                    <xsd:element name="IADL2"
                                                                                        <xsd:complexType>
                                                                                        <xsd:element name="IADL3Plus"
                                                                                            </xsd:sequence>
                                                                                            </xsd:complexType>
                                                                                            </xsd:element>
                                                                                            <xsd:element name="Age75-84" minOccurs="0">
                                                                                                <xsd:complexType>
                                                                                                <xsd:sequence>
                                                                                                    <xsd:element name="Total"
                                                                                                        <xsd:element name="IADL0"

```

```
    <xsd:element name="IADL1">
    <xsd:element name="IADL2">
    <xsd:element name="IADL3Plus">
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:element name="IADL0">
        <xsd:element name="IADL1">
        <xsd:element name="IADL2">
        <xsd:element name="IADL3Plus">
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="WhiteAloneHispanic" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="AllAges" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Total">
              <xsd:element name="IADL0">
              <xsd:element name="IADL1">
              <xsd:element name="IADL2">
              <xsd:element name="IADL3Plus">
            </xsd:sequence>
          </xsd:complexType>
        </xsd:element>
      </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:element name="IADL0">
        <xsd:element name="IADL1">
        <xsd:element name="IADL2">
        <xsd:element name="IADL3Plus">
      </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>

<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="IndianAlone" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllAges" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
```

```
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="IADL0">
            <xsd:element name="IADL1">
            <xsd:element name="IADL2">
            <xsd:element name="IADL3Plus">
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="IADL0">
            <xsd:element name="IADL1">
            <xsd:element name="IADL2">
            <xsd:element name="IADL3Plus">
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="AsianAlone" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="AllAges" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="Total">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="IADL0">
                  <xsd:element name="IADL1">
                  <xsd:element name="IADL2">
                  <xsd:element name="IADL3Plus">
                </xsd:sequence>
              </xsd:complexType>
            </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="IADL0">
            <xsd:element name="IADL1">
            <xsd:element name="IADL2">
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                         <xsd:element name="IADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="Age75-84" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="IADL0"
                                         <xsd:element name="IADL1"
                                         <xsd:element name="IADL2"
                                         <xsd:element name="IADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="Age85Plus" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="IADL0"
                                         <xsd:element name="IADL1"
                                         <xsd:element name="IADL2"
                                         <xsd:element name="IADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="BlackAlone" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="AllAges" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="IADL0"
                                         <xsd:element name="IADL1"
                                         <xsd:element name="IADL2"
                                         <xsd:element name="IADL3Plus"
                                         </xsd:sequence>
                                         </xsd:complexType>
                                         </xsd:element>
                                         <xsd:element name="Age60-74" minOccurs="0">
                                         <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="Total"
                                         <xsd:element name="IADL0"
```





```
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Total">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="IADL0">
            <xsd:element name="IADL1">
            <xsd:element name="IADL2">
            <xsd:element name="IADL3Plus">
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
    <xsd:element name="Age75-84" minOccurs="0">
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="Total">
            <xsd:complexType>
              <xsd:sequence>
                <xsd:element name="IADL0">
                <xsd:element name="IADL1">
                <xsd:element name="IADL2">
                <xsd:element name="IADL3Plus">
              </xsd:sequence>
            </xsd:complexType>
          </xsd:element>
        <xsd:element name="Age85Plus" minOccurs="0">
          <xsd:complexType>
            <xsd:sequence>
              <xsd:element name="Total">
                <xsd:complexType>
                  <xsd:sequence>
                    <xsd:element name="IADL0">
                    <xsd:element name="IADL1">
                    <xsd:element name="IADL2">
                    <xsd:element name="IADL3Plus">
                  </xsd:sequence>
                </xsd:complexType>
              </xsd:element>
            <xsd:element name="TwoPlusRaces" minOccurs="0">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="AllAges" minOccurs="0">
                    <xsd:complexType>
                      <xsd:sequence>
                        <xsd:element name="Total">
                          <xsd:complexType>
                            <xsd:sequence>
                              <xsd:element name="IADL0">
                              <xsd:element name="IADL1">
                              <xsd:element name="IADL2">
                            </xsd:sequence>
                          </xsd:complexType>
                        </xsd:element>
                      </xsd:sequence>
                    </xsd:complexType>
                  </xsd:element>
                </xsd:sequence>
              </xsd:complexType>
            </xsd:element>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="IADL3Plus">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="Age60-74" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="IADL0">
                                                               <xsd:element name="IADL1">
                                                               <xsd:element name="IADL2">
                                                               <xsd:element name="IADL3Plus">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="Age75-84" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="IADL0">
                                                               <xsd:element name="IADL1">
                                                               <xsd:element name="IADL2">
                                                               <xsd:element name="IADL3Plus">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="Age85Plus" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="IADL0">
                                                               <xsd:element name="IADL1">
                                                               <xsd:element name="IADL2">
                                                               <xsd:element name="IADL3Plus">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="RaceMissing" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="AllAges" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="IADL0">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="RaceMissing" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="AllAges" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="IADL0">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
                                                               <xsd:element name="RaceMissing" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="AllAges" minOccurs="0">
                                                               <xsd:complexType>
                                                               <xsd:sequence>
                                                               <xsd:element name="Total">
                                                               <xsd:element name="IADL0">
                                                               </xsd:sequence>
                                                               </xsd:complexType>
                                                               </xsd:element>
```

```

type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age60-74" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age75-84" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Age85Plus" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Total"
<xsd:element name="IADL0"
<xsd:element name="IADL1"
<xsd:element name="IADL2"
<xsd:element name="IADL3Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"
minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
<xsd:unique name="SectionID_UniqueCluster1Page">
<xsd:selector xpath="*"/>

```

```
        <xsd:field xpath="Cluster1Page"/>
        </xsd:unique>
    </xsd:element>
<xsd:element name="SectionIE" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalCaregivers" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="AgeDataCaregivers" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="Under60"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        </xsd:sequence>
                    </xsd:complexType>
                </xsd:element>
                <xsd:element name="AgeMissing" minOccurs="0">
                    <xsd:complexType>
                        <xsd:sequence>
                            <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                            </xsd:sequence>
                        </xsd:complexType>
                    </xsd:element>
                    <xsd:element name="Female" minOccurs="0">
                        <xsd:complexType>
                            <xsd:sequence>
                                <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                <xsd:element name="Under60"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                </xsd:sequence>
                            </xsd:complexType>
                        </xsd:element>
                        <xsd:element name="Male" minOccurs="0">
                            <xsd:complexType>
                                <xsd:sequence>
                                    <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                    <xsd:element name="Under60"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                    <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                    <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

```
          <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="GenderMissing" minOccurs="0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="AllCaregivers" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Under60" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="Rural" minOccurs="0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="AllCaregivers" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Under60" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="RuralMissing" minOccurs="0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="AllCaregivers" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Under60" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="Hispanic" minOccurs="0" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="AllCaregivers" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Under60" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age60-74" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age75-84" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age85Plus" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
```

```
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="NotHispanic" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllCaregivers">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Under60">
                            <xsd:complexType>
                                <xsd:element name="Age60-74">
                                    <xsd:complexType>
                                        <xsd:sequence>
                                            <xsd:element name="Age75-84">
                                                <xsd:complexType>
                                                    <xsd:sequence>
                                                        <xsd:element name="Age85Plus">
                                                            <xsd:complexType>
                                                                <xsd:sequence>
                        </xsd:element>
                        <xsd:element name="EthnicityMissing" minOccurs="0">
                            <xsd:complexType>
                                <xsd:sequence>
                                    <xsd:element name="AllCaregivers">
                                        <xsd:complexType>
                                            <xsd:sequence>
                                                <xsd:element name="Under60">
                                                    <xsd:complexType>
                                                        <xsd:element name="Age60-74">
                                                            <xsd:complexType>
                                                                <xsd:sequence>
                                                                    <xsd:element name="Age75-84">
                                                                        <xsd:complexType>
                                                                            <xsd:sequence>
                                                                                <xsd:element name="Age85Plus">
                                                                                    <xsd:complexType>
                                                                                        <xsd:sequence>
                            </xsd:element>
                            <xsd:element name="WhiteAloneNonHispanic" minOccurs="0">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="AllCaregivers">
                                            <xsd:complexType>
                                                <xsd:sequence>
                                                    <xsd:element name="Under60">
                                                        <xsd:complexType>
                                                            <xsd:element name="Age60-74">
                                                                <xsd:complexType>
                                                                    <xsd:sequence>
                                                                        <xsd:element name="Age75-84">
                                                                            <xsd:complexType>
                                                                                <xsd:sequence>
                                                                                    <xsd:element name="Age85Plus">
                                                                                        <xsd:complexType>
                                                                                            <xsd:sequence>
                            </xsd:element>
                            <xsd:element name="WhiteAloneHispanic" minOccurs="0">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="AllCaregivers">
                                            <xsd:complexType>
                                                <xsd:sequence>
                                                    <xsd:element name="Under60">
                                                        <xsd:complexType>
                                                            <xsd:element name="Age60-74">
                                                                <xsd:complexType>
                                                                    <xsd:sequence>
                                                                        <xsd:element name="Age75-84">
                                                                            <xsd:complexType>
                                                                                <xsd:sequence>
                                                                                    <xsd:element name="Age85Plus">
                                                                                        <xsd:complexType>
                                                                                            <xsd:sequence>

```

```
</xsd:element>
<xsd:element name="IndianAlone" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="AllCaregivers">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Under60">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age60-74">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age75-84">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age85Plus">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
  <xsd:element name="AsianAlone" minOccurs="0">
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="AllCaregivers">
          type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        <xsd:element name="Under60">
          type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        <xsd:element name="Age60-74">
          type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        <xsd:element name="Age75-84">
          type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        <xsd:element name="Age85Plus">
          type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
    <xsd:element name="BlackAlone" minOccurs="0">
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="AllCaregivers">
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Under60">
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age60-74">
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age75-84">
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          <xsd:element name="Age85Plus">
            type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:element name="HawaiianAlone" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="AllCaregivers">
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Under60">
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74">
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84">
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus">
              type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            </xsd:sequence>
          </xsd:complexType>
        </xsd:element>
        <xsd:element name="OtherRace" minOccurs="0">
```

```
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Under60"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="TwoPlusRaces" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Under60"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="RaceMissing" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Under60"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Husband" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Under60"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Wife" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="AllCaregivers"
<xsd:element name="Under60"
<xsd:element name="Age60-74"
<xsd:element name="Age75-84"
<xsd:element name="Age85Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Son" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllCaregivers"
<xsd:element name="Under60"
<xsd:element name="Age60-74"
<xsd:element name="Age75-84"
<xsd:element name="Age85Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Daughter" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllCaregivers"
<xsd:element name="Under60"
<xsd:element name="Age60-74"
<xsd:element name="Age75-84"
<xsd:element name="Age85Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="OtherRelative" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllCaregivers"
<xsd:element name="Under60"
<xsd:element name="Age60-74"
<xsd:element name="Age75-84"
<xsd:element name="Age85Plus"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="NonRelative" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="AllCaregivers"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="AllCaregivers"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    <xsd:element name="Under60">
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="Age60-74">
                    <xsd:complexType>
                        <xsd:sequence>
                            <xsd:element name="Age75-84">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="Age85Plus">
                                            <xsd:complexType>
                                                <xsd:sequence>
                                                    <xsd:element name="RelationshipMissing" minOccurs="0">
                                                        <xsd:complexType>
                                                            <xsd:sequence>
                                                                <xsd:element name="AllCaregivers">
                                                                <xsd:complexType>
                                                                    <xsd:sequence>
                                                                        <xsd:element name="Under60">
                                                                        <xsd:complexType>
                                                                            <xsd:sequence>
                                                                                <xsd:element name="Age60-74">
                                                                                <xsd:complexType>
                                                                                    <xsd:sequence>
                                                                                        <xsd:element name="Age75-84">
                                                                                        <xsd:complexType>
                                                                                            <xsd:sequence>
                                                                                                <xsd:element name="Age85Plus">
                                                                                                <xsd:complexType>
                                                                                                    <xsd:sequence>
                                                                                                        <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false">
                                                                                                            minOccurs="0"/>
                                                                                                            </xsd:sequence>
                                                                                                            </xsd:complexType>
                                                                                                            </xsd:element>
                                                                                                            <xsd:element name="SectionIF" minOccurs="0">
                                                                                                                <xsd:complexType>
                                                                                                                    <xsd:sequence>
                                                                                                                        <xsd:element name="TotalCaregivers" minOccurs="0">
                                                                                                                            <xsd:complexType>
                                                                                                                                <xsd:sequence>
                                                                                                                                    <xsd:element name="AllCaregivers">
                                                                
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    </xsd:sequence>
    </xsd:complexType>
    </xsd:element>
    <xsd:element name="AgeDataCaregivers" minOccurs="0">
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="AllCaregivers">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="Age60-74">
                        <xsd:complexType>
                            <xsd:sequence>
                                <xsd:element name="Age75-84">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="Age85Plus">
                                        <xsd:complexType>
                                            <xsd:sequence>
                                                <xsd:element name="AgeMissing" minOccurs="0">
                                                <xsd:complexType>
                                                    <xsd:sequence>
                                                        <xsd:element name="AllCaregivers">

type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
    </xsd:sequence>
    </xsd:complexType>
    </xsd:element>
    <xsd:element name="Female" minOccurs="0">
```

```
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Male" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="GenderMissing" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="Rural" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="RuralMissing" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AllCaregivers"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age60-74"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age75-84"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="Age85Plus"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

```
                </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="Hispanic" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="AllCaregivers">
                            <xsd:complexType>
                                <xsd:sequence>
                                    <xsd:element name="Age60-74">
                                    <xsd:element name="Age75-84">
                                    <xsd:element name="Age85Plus">

```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

                            </xsd:sequence>
                            </xsd:complexType>
                        </xsd:element>
                        <xsd:element name="NotHispanic" minOccurs="0">
                            <xsd:complexType>
                                <xsd:sequence>
                                    <xsd:element name="AllCaregivers">
                                        <xsd:complexType>
                                            <xsd:sequence>
                                                <xsd:element name="Age60-74">
                                                <xsd:element name="Age75-84">
                                                <xsd:element name="Age85Plus">

```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

                                            </xsd:sequence>
                                            </xsd:complexType>
                                        </xsd:element>
                                        <xsd:element name="EthnicityMissing" minOccurs="0">
                                            <xsd:complexType>
                                                <xsd:sequence>
                                                    <xsd:element name="AllCaregivers">
                                                        <xsd:complexType>
                                                            <xsd:sequence>
                                                                <xsd:element name="Age60-74">
                                                                <xsd:element name="Age75-84">
                                                                <xsd:element name="Age85Plus">

```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

                                                                </xsd:sequence>
                                                                </xsd:complexType>
                                                            </xsd:element>
                                                            <xsd:element name="WhiteAloneNonHispanic" minOccurs="0">
                                                                <xsd:complexType>
                                                                    <xsd:sequence>
                                                                        <xsd:element name="AllCaregivers">

```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

                                                                        <xsd:element name="Age60-74">
                                                                        <xsd:element name="Age75-84">
                                                                        <xsd:element name="Age85Plus">

```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

                                                                        </xsd:sequence>
                                                                        </xsd:complexType>
                                                                    </xsd:element>
                                                                    <xsd:element name="WhiteAloneHispanic" minOccurs="0">
                                                                        <xsd:complexType>

```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```

                                                                        <xsd:sequence>
                                                                        <xsd:element name="AllCaregivers">

```

type="srt:T\_PERSON\_COUNT" default="0" minOccurs="0"/>

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age75-84">
<xsd:sequence>                                              <xsd:element name="Age85Plus">
</xsd:complexType>                                           </xsd:sequence>
</xsd:element>                                               </xsd:complexType>
<xsd:element name="IndianAlone" minOccurs="0">              <xsd:sequence>
<xsd:complexType>                                           <xsd:element name="AllCaregivers">
<xsd:sequence>                                              <xsd:element name="Age60-74">
</xsd:complexType>                                           <xsd:element name="Age75-84">
</xsd:element>                                               <xsd:element name="Age85Plus">
<xsd:element name="AsianAlone" minOccurs="0">              </xsd:sequence>
<xsd:complexType>                                           </xsd:complexType>
<xsd:sequence>                                              </xsd:element>
</xsd:complexType>                                           <xsd:element name="AllCaregivers">
</xsd:element>                                               <xsd:element name="Age60-74">
<xsd:element name="AsianAlone" minOccurs="0">              <xsd:element name="Age75-84">
<xsd:complexType>                                           <xsd:element name="Age85Plus">
<xsd:sequence>                                              </xsd:sequence>
</xsd:complexType>                                           </xsd:complexType>
</xsd:element>                                               </xsd:element>
<xsd:element name="BlackAlone" minOccurs="0">              <xsd:element name="AllCaregivers">
<xsd:complexType>                                           <xsd:element name="Age60-74">
<xsd:sequence>                                              <xsd:element name="Age75-84">
</xsd:complexType>                                           <xsd:element name="Age85Plus">
</xsd:element>                                               </xsd:sequence>
<xsd:element name="BlackAlone" minOccurs="0">              </xsd:complexType>
<xsd:complexType>                                           </xsd:element>
<xsd:sequence>                                              <xsd:element name="HawaiianAlone" minOccurs="0">
</xsd:complexType>                                           <xsd:complexType>
</xsd:element>                                               <xsd:sequence>
<xsd:element name="HawaiianAlone" minOccurs="0">            <xsd:element name="AllCaregivers">
<xsd:complexType>                                           <xsd:element name="Age60-74">
<xsd:sequence>                                              <xsd:element name="Age75-84">
</xsd:complexType>                                           <xsd:element name="Age85Plus">
</xsd:element>                                               </xsd:sequence>
<xsd:element name="OtherRace" minOccurs="0">              </xsd:complexType>
<xsd:complexType>                                           </xsd:element>
<xsd:sequence>
```

```
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="AllCaregivers">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age60-74">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age75-84">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age85Plus">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          </xsd:sequence>
                                         </xsd:complexType>
</xsd:element>          </xsd:element>
<xsd:element name="TwoPlusRaces" minOccurs="0">          <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="AllCaregivers">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age60-74">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age75-84">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age85Plus">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          </xsd:sequence>
                                         </xsd:complexType>
</xsd:element>          </xsd:element>
<xsd:element name="RaceMissing" minOccurs="0">          <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="AllCaregivers">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age60-74">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age75-84">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age85Plus">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          </xsd:sequence>
                                         </xsd:complexType>
</xsd:element>          </xsd:element>
<xsd:element name="Grandparents" minOccurs="0">          <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="AllCaregivers">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age60-74">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age75-84">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age85Plus">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          </xsd:sequence>
                                         </xsd:complexType>
</xsd:element>          </xsd:element>
<xsd:element name="OtherElderlyRelative" minOccurs="0">          <xsd:complexType>
                                         <xsd:sequence>
                                         <xsd:element name="AllCaregivers">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age60-74">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age75-84">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          <xsd:element name="Age85Plus">
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>          </xsd:sequence>
                                         </xsd:complexType>
```

```
</xsd:element>
<xsd:element name="OtherElderlyNonRelative" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="AllCaregivers">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age60-74">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age75-84">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age85Plus">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="RelationshipMissing" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="AllCaregivers">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age60-74">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age75-84">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      <xsd:element name="Age85Plus">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="TotalReceivingCare" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="AllCaregivers">
        type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"
minOccurs="0"/>
  </xsd:sequence>
  </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:unique name="UniqueCluster2Page">
  <xsd:selector xpath="/" />
  <xsd:field xpath="Cluster2Page" />
</xsd:unique>
</xsd:element>
<xsd:element name="SectionII" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="SectionIIA" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="PersonalCare" minOccurs="0">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="Providers">
                    type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
                  <xsd:element name="AAAsDirectServicesProvision">
                    type="srt:T_AAA_COUNT" default="0" minOccurs="0"/>
                  <xsd:element name="PersonsServed">
                    type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                  <xsd:element name="ServiceUnits">
                    type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>

```

```
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="TitleIIIExpenditure"
<xsd:element name="TotalServiceExpenditure"
<xsd:element name="ProgramIncomeReceived"
<xsd:element name="TitleIIIExpendituresPartB"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Homemaker" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Providers"
<xsd:element name="AAAsDirectServicesProvision"
<xsd:element name="PersonsServed"
<xsd:element name="ServiceUnits"
<xsd:element name="TitleIIIExpenditure"
<xsd:element name="TotalServiceExpenditure"
<xsd:element name="ProgramIncomeReceived"
<xsd:element name="TitleIIIExpendituresPartB"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Chore" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Providers"
<xsd:element name="AAAsDirectServicesProvision"
<xsd:element name="PersonsServed"
<xsd:element name="ServiceUnits"
<xsd:element name="TitleIIIExpenditure"
<xsd:element name="TotalServiceExpenditure"
<xsd:element name="ProgramIncomeReceived"
<xsd:element name="TitleIIIExpendituresPartB"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="HomeDeliveredMeals" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Providers"
<xsd:element name="AAAsDirectServicesProvision"
<xsd:element name="PersonsServed"
<xsd:element name="HighNutritionRiskPersonsServed"
type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
type="srt:T_AAA_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
type="srt:T_AAA_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
type="srt:T_AAA_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
```

```
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
    <xsd:element name="ServiceUnits">
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="TitleIIIExpenditure">
                    <xsd:complexType>
                        <xsd:sequence>
                            <xsd:element name="TotalServiceExpenditure">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="ProgramIncomeReceived">
                                            <xsd:complexType>
                                                <xsd:sequence>
                                                    <xsd:element name="TitleIIIExpendituresPartC2">
                                                        </xsd:sequence>
                                                    </xsd:complexType>
                                                </xsd:element>
                                                <xsd:element name="NSIPHHomeDeliveredMeals" minOccurs="0">
                                                    <xsd:complexType>
                                                        <xsd:sequence>
                                                            <xsd:element name="ServiceUnits">
                                                                </xsd:sequence>
                                                            </xsd:complexType>
                                                        </xsd:element>
                                                        <xsd:element name="AdultDayCareHealth" minOccurs="0">
                                                            <xsd:complexType>
                                                                <xsd:sequence>
                                                                    <xsd:element name="Providers">
                                                                        </xsd:sequence>
                                                                    </xsd:complexType>
                                                                </xsd:element>
                                                                <xsd:element name="AAAsDirectServicesProvision">
                                                                    <xsd:complexType>
                                                                        <xsd:sequence>
                                                                            <xsd:element name="PersonsServed">
                                                                                </xsd:sequence>
                                                                            </xsd:complexType>
                                                                        </xsd:element>
                                                                        <xsd:element name="ServiceUnits">
                                                                            </xsd:sequence>
                                                                        </xsd:complexType>
                                                                    </xsd:element>
                                                                    <xsd:element name="TitleIIIExpenditure">
                                                                        <xsd:complexType>
                                                                            <xsd:sequence>
                                                                                <xsd:element name="TotalServiceExpenditure">
                                                                                    <xsd:complexType>
                                                                                        <xsd:sequence>
                                                                                            <xsd:element name="ProgramIncomeReceived">
                                                                                                <xsd:complexType>
                                                                                                    <xsd:sequence>
                                                                                                        <xsd:element name="TitleIIIExpendituresPartB">
                                                                                                            </xsd:sequence>
                                                                                                        </xsd:complexType>
                                    </xsd:element>
                                    <xsd:element name="CaseManagement" minOccurs="0">
                                        <xsd:complexType>
                                            <xsd:sequence>
                                                <xsd:element name="Providers">
                                                    </xsd:sequence>
                                                </xsd:complexType>
                                            </xsd:element>
                                            <xsd:element name="AAAsDirectServicesProvision">
                                                <xsd:complexType>
                                                    <xsd:sequence>
                                                        <xsd:element name="PersonsServed">
                                                            </xsd:sequence>
                                                        </xsd:complexType>
                                                    </xsd:element>
                                                    <xsd:element name="ServiceUnits">
                                                        </xsd:sequence>
                                                    </xsd:complexType>
                                                </xsd:element>
                                                <xsd:element name="TitleIIIExpenditure">
                                                    <xsd:complexType>
                                                        <xsd:sequence>
                                                            <xsd:element name="TotalServiceExpenditure">
                                                                <xsd:complexType>
                                                                    <xsd:sequence>
                                                                        <xsd:element name="ProgramIncomeReceived">
                                                                            <xsd:complexType>
                                                                                <xsd:sequence>
                                                                                    <xsd:element name="TitleIIIExpendituresPartB">
                                                                                        </xsd:sequence>
                                                                                    </xsd:complexType>
                                                                </xsd:element>
                                                                <xsd:element name="AssistedTransportation" minOccurs="0">
                                                                    <xsd:complexType>
                                                                        <xsd:sequence>

```

```
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Providers"
type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="AAAsDirectServicesProvision"
type="srt:T_AAA_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="PersonsServed"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ServiceUnits"
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
            <xsd:element name="TitleIIIExpenditure"
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
            <xsd:element name="TotalServiceExpenditure"
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
            <xsd:element name="ProgramIncomeReceived"
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
            <xsd:element name="TitleIIIExpendituresPartB"
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="CongregateMeals" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Providers"
type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="AAAsDirectServicesProvision"
type="srt:T_AAA_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="PersonsServed"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="HighNutritionRiskPersonsServed"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ServiceUnits"
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
            <xsd:element name="TitleIIIExpenditure"
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
            <xsd:element name="TotalServiceExpenditure"
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
            <xsd:element name="ProgramIncomeReceived"
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
            <xsd:element name="TitleIIIExpendituresPartC1"
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="NSIPCongregateMeals" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="ServiceUnits"
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="NutritionCounseling" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="Providers"
type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="AAAsDirectServicesProvision"
type="srt:T_AAA_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="PersonsServed"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="HighNutritionRiskPersonsServed"
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
            <xsd:element name="ServiceUnits"
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
```

```
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
type="srt:T_AAA_COUNT" default="0" minOccurs="0"/>
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
type="srt:T_AAA_COUNT" default="0" minOccurs="0"/>
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
type="srt:T_AAA_COUNT" default="0" minOccurs="0"/>
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="TitleIIIExpenditure">
<xsd:element name="TotalServiceExpenditure">
<xsd:element name="ProgramIncomeReceived">
<xsd:element name="TitleIIIExpendituresPartB">
<xsd:element name="TitleIIIExpendituresPartC1">
<xsd:element name="TitleIIIExpendituresPartC2">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Transportation" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Providers">
<xsd:element name="AAAsDirectServicesProvision">
<xsd:element name="ServiceUnits">
<xsd:element name="TitleIIIExpenditure">
<xsd:element name="TotalServiceExpenditure">
<xsd:element name="ProgramIncomeReceived">
<xsd:element name="TitleIIIExpendituresPartB">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="LegalAssistance" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Providers">
<xsd:element name="AAAsDirectServicesProvision">
<xsd:element name="ServiceUnits">
<xsd:element name="TitleIIIExpenditure">
<xsd:element name="TotalServiceExpenditure">
<xsd:element name="ProgramIncomeReceived">
<xsd:element name="TitleIIIExpendituresPartB">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="NutritionEducation" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Providers">
<xsd:element name="AAAsDirectServicesProvision">
<xsd:element name="ServiceUnits">
<xsd:element name="TitleIIIExpenditure">
```

```
type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="TotalServiceExpenditure"
<xsd:element name="ProgramIncomeReceived"
<xsd:element name="TitleIIIExpendituresPartB"
<xsd:element name="TitleIIIExpendituresPartC1"
<xsd:element name="TitleIIIExpendituresPartC2"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="InformationAssistance" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Providers"
<xsd:element name="AAAsDirectServicesProvision"
<xsd:element name="ServiceUnits"
<xsd:element name="TitleIIIExpenditure"
<xsd:element name="TotalServiceExpenditure"
<xsd:element name="ProgramIncomeReceived"
<xsd:element name="TitleIIIExpendituresPartB"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Outreach" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Providers"
<xsd:element name="AAAsDirectServicesProvision"
<xsd:element name="ServiceUnits"
<xsd:element name="TitleIIIExpenditure"
<xsd:element name="TotalServiceExpenditure"
<xsd:element name="ProgramIncomeReceived"
<xsd:element name="TitleIIIExpendituresPartB"
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="OtherServices" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="TitleIIIExpenditure"
<xsd:element name="TotalServiceExpenditure"
<xsd:element name="ProgramIncomeReceived"
<xsd:element name="TitleIIIExpendituresPartB"
</xsd:sequence>
</xsd:complexType>
```

```
</xsd:element>
<xsd:element name="Total" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="Providers">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="AAAsDirectServicesProvision">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="HighNutritionRiskPersonsServed">
                    <xsd:complexType>
                      <xsd:sequence>
                        <xsd:element name="TitleIIIExpenditure">
                          <xsd:complexType>
                            <xsd:sequence>
                              <xsd:element name="TotalServiceExpenditure">
                                <xsd:complexType>
                                  <xsd:sequence>
                                    <xsd:element name="ProgramIncomeReceived">
                                      <xsd:complexType>
                                        <xsd:sequence>
                                          <xsd:element name="TitleIIIExpendituresPartB">
                                            <xsd:complexType>
                                              <xsd:sequence>
                                                <xsd:element name="TitleIIIExpendituresPartC1">
                                                  <xsd:complexType>
                                                    <xsd:sequence>
                                                      <xsd:element name="TitleIIIExpendituresPartC2">
                                                        <xsd:complexType>
                                                          <xsd:sequence>
                                                            <xsd:element name="TitleIIIExpendituresPartD">
                                                              <xsd:complexType>
                                                                <xsd:sequence>
                                                                  <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false">
                                                                    minOccurs="0"/>
                                                                </xsd:sequence>
                                                              </xsd:complexType>
                                                            </xsd:element>
                                                          <xsd:element name="SectionIIB" minOccurs="0">
                <xsd:complexType>
                  <xsd:sequence>
                    <xsd:element name="Counseling" minOccurs="0">
                      <xsd:complexType>
                        <xsd:sequence>
                          <xsd:element name="TitleIII-EExpenditures">
                            <xsd:complexType>
                              <xsd:sequence>
                                <xsd:element name="TotalServiceExpenditures">
                                  <xsd:complexType>
                                    <xsd:sequence>
                                      <xsd:element name="ProgramIncomeReceived">
                                        <xsd:complexType>
                                          <xsd:sequence>
                                            <xsd:element name="Caregivers">
                                              <xsd:complexType>
                                                <xsd:sequence>
                                                  <xsd:element name="ServiceUnits">
                                                    <xsd:complexType>
                                                      <xsd:sequence>
                                                        <xsd:element name="Providers">
                                                          <xsd:complexType>
                <xsd:sequence>
                </xsd:complexType>
              </xsd:element>
            <xsd:element name="RespiteCare" minOccurs="0">
              <xsd:complexType>
                <xsd:sequence>
                  <xsd:element name="TitleIII-EExpenditures">
                    <xsd:complexType>
                      <xsd:sequence>
                        <xsd:element name="TotalServiceExpenditures">
                          <xsd:complexType>
                            <xsd:sequence>
                              <xsd:element name="ProgramIncomeReceived">
                                <xsd:complexType>
                                  <xsd:sequence>
                                    <xsd:element name="Caregivers">
                                      <xsd:complexType>
                                        <xsd:sequence>
                                          <xsd:element name="ServiceUnits">
                                            <xsd:complexType>
                                              <xsd:sequence>
                                                <xsd:element name="Providers">
                                                  <xsd:complexType>
          <xsd:sequence>
          </xsd:complexType>
        </xsd:element>
      <xsd:element name="AAAsDirectServicesProvision" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="HighNutritionRiskPersonsServed" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="TitleIIIExpenditure" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="TotalServiceExpenditure" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="TitleIIIExpendituresPartB" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="TitleIIIExpendituresPartC1" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="TitleIIIExpendituresPartC2" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="TitleIIIExpendituresPartD" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false" minOccurs="0"/>
      <xsd:element name="SectionIIB" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="Counseling" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="Caregivers" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="ServiceUnits" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="Providers" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="RespiteCare" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="Caregivers" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="ServiceUnits" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
      <xsd:element name="Providers" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
```

```
        <xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="SupplementalServices" minOccurs="0" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                <xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                <xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                <xsd:element name="Caregivers" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                <xsd:element name="ServiceUnits" type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
                <xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
                    </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="AccessAssistance" minOccurs="0" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                        <xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                        <xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                        <xsd:element name="EstimatedCaregivers" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                        <xsd:element name="ServiceUnits" type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
                        <xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
                            </xsd:sequence>
                        </xsd:complexType>
                    </xsd:element>
                    <xsd:element name="InformationServices" minOccurs="0" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                        <xsd:complexType>
                            <xsd:sequence>
                                <xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                                <xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                                <xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                                <xsd:element name="EstimatedAudience" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                                <xsd:element name="Activities" type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
                                <xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
                                    </xsd:sequence>
                                </xsd:complexType>
                            </xsd:element>
                            <xsd:element name="Total" minOccurs="0" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                                        <xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>

```

```
        <xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
        <xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
    </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false" minOccurs="0">
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="SectionIIC" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="Counseling" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="Caregivers" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="ServiceUnits" type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
<xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="RespiteCare" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="Caregivers" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="ServiceUnits" type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
<xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="SupplementalServices" minOccurs="0">
<xsd:complexType>
<xsd:sequence>
<xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
<xsd:element name="Caregivers" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
<xsd:element name="ServiceUnits" type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
<xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
```

```
        </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="AccessAssistance" minOccurs="0">
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                <xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                <xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                <xsd:element name="EstimatedCaregivers" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                <xsd:element name="ServiceUnits" type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
                <xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
            </xsd:sequence>
            </xsd:complexType>
        </xsd:element>
        <xsd:element name="InformationServices" minOccurs="0">
            <xsd:complexType>
                <xsd:sequence>
                    <xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                    <xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                    <xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                    <xsd:element name="EstimatedAudience" type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>
                    <xsd:element name="Activities" type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>
                    <xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
                </xsd:sequence>
                </xsd:complexType>
            </xsd:element>
            <xsd:element name="Total" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="TitleIII-EExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                        <xsd:element name="TotalServiceExpenditures" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                        <xsd:element name="ProgramIncomeReceived" type="srt:T_CURRENCY" default="0" minOccurs="0"/>
                        <xsd:element name="Providers" type="srt:T_PROVIDER_COUNT" default="0" minOccurs="0"/>
                    </xsd:sequence>
                    </xsd:complexType>
                </xsd:element>
                <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false" minOccurs="0">
                    </xsd:sequence>
                    </xsd:complexType>
                </xsd:element>
                <xsd:element name="SectionIID" minOccurs="0">
                    <xsd:complexType>
                        <xsd:sequence>
                            <xsd:element name="Chapter3ElderAbusePrevention" minOccurs="0">
                                <xsd:complexType>
                                    <xsd:sequence>
                                        <xsd:element name="TitleVIIExpenditure" type="srt:T_CURRENCY" default="0" minOccurs="0"/>

```

```
        <xsd:element name="TotalServiceExpenditure"  
type="srt:T_CURRENCY" default="0" minOccurs="0"/>  
        </xsd:sequence>  
    </xsd:complexType>  
    </xsd:element>  
    <xsd:element name="Chapter4LegalAssistDevelopment"  
minOccurs="0">  
        <xsd:complexType>  
        <xsd:sequence>  
            <xsd:element name="TotalServiceExpenditure"  
type="srt:T_CURRENCY" default="0" minOccurs="0"/>  
            </xsd:sequence>  
        </xsd:complexType>  
    </xsd:element>  
    <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"  
minOccurs="0"/>  
        </xsd:sequence>  
    </xsd:complexType>  
    </xsd:element>  
    <xsd:element name="SectionIIIE" minOccurs="0">  
        <xsd:complexType>  
        <xsd:sequence>  
            <xsd:element name="OtherService" minOccurs="0"  
maxOccurs="unbounded">  
                <xsd:complexType>  
                <xsd:sequence>  
                    <xsd:element name="ServiceName"  
type="srt:T_SERVICE_NAME"/>  
                    <xsd:element name="ServiceUnitName"  
type="srt:T_SERVICE_UNIT_NAME" minOccurs="0"/>  
                    <xsd:element name="MissionPurposeCategory"  
type="srt:T_MISSION_PURPOSE_CATEGORY" minOccurs="0"/>  
                    <xsd:element name="OAAServiceExpenditure"  
type="srt:T_CURRENCY" default="0" minOccurs="0"/>  
                    <xsd:element name="TotalServiceExpenditure"  
type="srt:T_CURRENCY" default="0" minOccurs="0"/>  
                    <xsd:element name="EstimatedPersonsServed"  
type="srt:T_PERSON_COUNT" default="0" minOccurs="0"/>  
                    <xsd:element name="EstimatedServiceUnits"  
type="srt:T_SERVICE_UNITS" default="0" minOccurs="0"/>  
                    </xsd:sequence>  
                </xsd:complexType>  
            </xsd:element>  
            <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"  
minOccurs="0"/>  
        </xsd:sequence>  
    </xsd:complexType>  
    </xsd:element>  
    <xsd:element name="SectionIII" minOccurs="0">  
        <xsd:complexType>  
        <xsd:sequence>  
            <xsd:element name="SectionIIIA" minOccurs="0">  
                <xsd:complexType>  
                <xsd:sequence>  
                    <xsd:element name="AgencyExecutive" minOccurs="0">  
                    <xsd:complexType>  
                    <xsd:sequence>  
                        <xsd:element name="TotalFTEs" type="srt:T_SINGLE"  
default="0" minOccurs="0"/>  
                        <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"  
default="0" minOccurs="0"/>  
                    </xsd:sequence>  
                </xsd:complexType>  
            </xsd:element>  
        </xsd:sequence>  
    </xsd:complexType>  
    </xsd:element>
```

```
</xsd:element>
<xsd:element name="Planning" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TotalFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      <xsd:element name="MinorityFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="Development" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TotalFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      <xsd:element name="MinorityFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="Administration" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TotalFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      <xsd:element name="MinorityFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="ServiceDelivery" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TotalFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      <xsd:element name="MinorityFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="AccessCareCoordination" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TotalFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      <xsd:element name="MinorityFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="Other" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TotalFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      <xsd:element name="MinorityFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
<xsd:element name="ClericalSupportStaff" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="TotalFTEs" type="srt:T_SINGLE">
        default="0" minOccurs="0"/>

```

```
        <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
<xsd:element name="TotalSUAStaff" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"
minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>

```

</xsd:element>

```
<xsd:element name="SectionIIIB" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="AAAs" type="srt:T_AAA_COUNT" default="0"
default="0" minOccurs="0"/>
            <xsd:element name="AgencyExecutive" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence>
                        <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
                        <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
                    </xsd:sequence>
                </xsd:complexType>

```

</xsd:element>

```
<xsd:element name="Planning" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>

```

</xsd:element>

```
<xsd:element name="Development" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>

```

</xsd:element>

```
<xsd:element name="Administration" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>

```

</xsd:element>

```
<xsd:element name="ServiceDelivery" minOccurs="0">

```

```
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="AccessCareCoordination" minOccurs="0">
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="Other" minOccurs="0">
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="ClericalSupportStaff" minOccurs="0">
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="Volunteers" minOccurs="0">
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="TotalAAAStaff" minOccurs="0">
        <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="TotalFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            <xsd:element name="MinorityFTEs" type="srt:T_SINGLE"
default="0" minOccurs="0"/>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"
minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>

```

```
        <xsd:sequence>
            <xsd:element name="Total" type="srt:T_PROVIDER_COUNT"
default="0" minOccurs="0"/>
            <xsd:element name="Minority" type="srt:T_PROVIDER_COUNT"
default="0" minOccurs="0"/>
            <xsd:element name="Rural" type="srt:T_PROVIDER_COUNT"
default="0" minOccurs="0"/>
            <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"
minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="SectionIIID" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="FocalPoints" type="srt:T_LONG" default="0"
minOccurs="0"/>
            <xsd:element name="SeniorCenterFocalPoints" type="srt:T_LONG"
default="0" minOccurs="0"/>
            <xsd:element name="SeniorCenters" type="srt:T_LONG" default="0"
minOccurs="0"/>
            <xsd:element name="OAAFundedSeniorCenters" type="srt:T_LONG"
default="0" minOccurs="0"/>
            <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"
minOccurs="0"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="SectionIV" minOccurs="0">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:element name="SectionIVA" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence minOccurs="0" maxOccurs="3">
                        <xsd:element name="Accomplishments"
type="srt:AccomplishmentType" minOccurs="0"/>
                        <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"
minOccurs="0"/>
                    </xsd:sequence>
                </xsd:complexType>
                <xsd:unique name="UniqueAccomplishmentNumber_SectionIVA">
                    <xsd:selector xpath="/" />
                    <xsd:field xpath="Number" />
                </xsd:unique>
            </xsd:element>
            <xsd:element name="SectionIVB" minOccurs="0">
                <xsd:complexType>
                    <xsd:sequence minOccurs="0" maxOccurs="3">
                        <xsd:element name="Accomplishments"
type="srt:AccomplishmentType" minOccurs="0"/>
                        <xsd:element name="IsVerified" type="srt:T_BOOLEAN" default="false"
minOccurs="0"/>
                    </xsd:sequence>
                </xsd:complexType>
                <xsd:unique name="UniqueAccomplishmentNumber_SectionIVB">
                    <xsd:selector xpath="/" />
                    <xsd:field xpath="Number" />
                </xsd:unique>
            </xsd:element>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
</xsd:sequence>
```

```
        </xsd:complexType>
    </xsd:element>
    </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:complexType name="AccomplishmentType">
    <xsd:sequence>
        <xsd:element name="Number" type="srt:T_ACCOMPLISHMENT_NUMBER"/>
        <xsd:element name="Description" type="srt:T_MEMO" minOccurs="0"/>
        <xsd:element name="DevelopmentTypeCode" type="srt:T_DEVELOPMENT_TYPE_CODE"/>
    </xsd:sequence>
</xsd:complexType>
</xsd:schema>
```